



Certificate of Analysis

Compliance Test

Client Information:

OUTPOST BRANDS

475 CARSWELL

DAYTONA BEACH, FL 32117

Order # OUT230727-010001

Order Date: 2023-07-27

Sample # AAES440

Serving Number: 1.00000

Batch # N02897
Batch Date: 2023-07-27
Extracted From: Amanita

Potency per package

Sampling Date: 2023-07-31
Lab Batch Date: 2023-07-31
Completion Date: 2023-08-03

Initial Gross Weight: 81.703 g
Net Weight: 74.303 g

Number of Units: 1
Net Weight per Package: 74303.000 mg
Sampling Method: MSP 7.3.1



Amanita Muscaria

Tested



Amanita Analytes *

Specimen Weight: 5171.160 mg

Tested

SOP 13.058 (LCMS)

Mushroom Potency Summary

Total Alkaloids per Package 0.0189%	Total Alkaloids per Package 14.00612mg	Total Alkaloids per Serving 0.0189%	Total Alkaloids per Serving 14.00612mg
Total Amanita Analytes per Package 0.0189%	Total Amanita Analytes per Package 14.00612mg	Total Amanita Analytes per Serving 0.0189%	Total Amanita Analytes per Serving 14.00612mg
Total Psilocybin + Psilocin per Package -	Total Psilocybin + Psilocin per Package Not Tested	Total Psilocybin + Psilocin per Serving -	Total Psilocybin + Psilocin per Serving Not Tested

Pieces For Panel: 10

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Muscarine	3.65E-06	1.3E-5	0.1390	0.0139
Muscimol	8.81E-06	5.21E-5	0.0302	0.00302
Ibotenic acid	1.13E-05	5.21E-5	0.0193	0.00193

Prep. By: 1195 Date: 2023-08-01 18:48:54 Analyzed By: 1252 Date: 2023-08-01 16:26:13

Reviewed By: 1150 Date: 2023-08-02 20:03:36 Lab Batch #: AAES440-415 Date: 2023-08-02 20:03:36

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

