

Powered by Confident LIMS 1 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage





4.636 mg/unit

Total THC

9.946 mg/unit

Total CBD

ND

**Total CBG** 

15.81 mg/unit

Total Cannabinoids

Cannabinoids

$\sim$	
/ ama	Into
Comp	שובוכ

Date Analyzed: 01/30/2025				
Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	%
THCa	0.1170	0.3900	ND	ND
Δ9-THC	0.1170	0.3900	4.636	0.001287
Δ8-THC	0.1170	0.3900	ND	ND
THCVa	0.1170	0.3900	ND	ND
THCV	0.1170	0.3900	ND	ND
CBDa	0.1170	0.3900	ND	ND
CBD	0.1170	0.3900	9.946	0.002762
CBDVa	0.1170	0.3900	ND	ND
CBDV	0.1170	0.3900	ND	ND
CBN	0.1170	0.3900	1.228	0.0003411
CBGa	0.1170	0.3900	ND	ND
CBG	0.1170	0.3900	ND	ND
CBCa	0.2272	0.7573	ND	ND
CBC	0.1170	0.3900	ND	ND
CBL	0.1170	0.3900	ND	ND
Total			15.81	0.004390

1 Unit = 355 mL Can, 360.1120g

Unit Mass/Volume provided by Client and may affect the validity of "mg/unit" results. SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa  $^{\circ}$  0.877 +  $\Delta$ 9-THC; Total CBD = CBDa  $^{\circ}$  0.877 + CBD; Total CBG = CBGa  $^{\circ}$  0.878 + CBG. Pass/Fail THC criteria, if listed, is in accordance with 86 FR 5596 issued by the USDA for pre-harvest hemp clearance (total THC - uncertainty  $\leq$  0.3% THC). Dry weight percent of cannabinoids, if listed, is calculated using the dried weight determined by the moisture content prior to extraction, indicated as follows (SOP.702; Gravimetry).

TRI— CHOME ANALY 6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 2 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

### **BREZ** Double

Ingestible, Beverage



### **Terpenes**

Date Analyzed: 02/03/2025

Primary A	Aromas
-----------	--------

Analytes	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
δ-Limonene	0.000284	0.000864	0.00135	0.0135	(ICKI)
α-Bisabolol	0.000284	0.000864	0.00121	0.0121	
3-Carene	0.000284	0.000864	ND	ND	
α-Cedrene	0.000284	0.000864	ND	ND	Lemon
α-Humulene	0.000284	0.000864	ND	ND	
α-Phellandrene	0.000284	0.000864	ND	ND	
α-Pinene	0.000284	0.000864	ND	ND	
α-Terpinene	0.000284	0.000864	ND	ND	
Caryophyllene	0.000284	0.000864	ND	ND	-1
β-Myrcene	0.000284	0.000864	ND	ND	61 11
β-Pinene	0.000284	0.000864	ND	ND	Chamomile
Borneol	0.00919	0.0276	ND	ND	
Camphene	0.000284	0.000864	ND	ND	
Camphor	0.00115	0.00345	ND	ND	
Caryophyllene	0.000580	0.00173	ND	ND	
Oxide	0.000560	0.001/3	ND	ND	
Cedrol	0.000284	0.000864	ND	ND	
Fenchyl Alcohol	0.000284	0.000864	ND	ND	
Eucalyptol	0.000284	0.000864	ND	ND	
Fenchone	0.000580	0.00173	ND	ND	
y-Terpinene	0.000284	0.000864	ND	ND	
Geraniol	0.0184	0.0551	ND	ND	
Geranyl Acetate	0.000284	0.000864	ND	ND	
Guaiol	0.000284	0.000864	ND	ND	
Isoborneol	0.00115	0.00345	ND	ND	
Isopulegol	0.000284	0.000864	ND	ND	
Linalool	0.000284	0.000864	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Menthol	0.000580	0.00173	ND	ND	
Nerol	0.00919	0.0276	ND	ND	
Nerolidol	0.000284	0.000864	ND	ND	
Ocimene	0.000284	0.000864	ND	ND	
Pulegone	0.000284	0.000864	ND	ND	
Sabinene	0.000284	0.000864	ND	ND	
Sabinene Hydrate	0.000284	0.000864	ND	ND	0.00%
Terpineol	0.000284	0.000864	<loq< td=""><td><loq< td=""><td>0.00%</td></loq<></td></loq<>	<loq< td=""><td>0.00%</td></loq<>	0.00%
Terpinolene	0.000284	0.000864	ND	ND	Total Torrara
Valencene	0.000284	0.000864	ND	ND	Total Terpenes

rpenes

SOP.202; HS-GC-MS.

CHOME NALY

6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 3 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage



**Microbials Pass** 

Date Analyzed: 02/06/2025

Analytes	Limit	Result	Status
	CFU/g	CFU/g	
Total Yeast & Mold Count	10000	<100	Pass
Total Aerobic Bacteria Count	100000	<100	Pass
Total Enterobacteriaceae (BTGN) Count		<10	Tested
Shiga-toxin producing Escherichia coli (STEC)	Detected in 1g	<b>Not Detected</b>	Pass
Salmonella spp.	Detected in 1g	Not Detected	Pass
Listeria monocytogenes		Not Detected	Tested
Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus)		Not Detected	Tested

SOP.606, SOP.607; qPCR and/or SOP.605; MPN.

CHOME

6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 4 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011; Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage



Mycotoxins

Date Analyzed: 02/03/2025

**Pass** 

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
Aflatoxin B1	0.000813	0.00271		ND	Tested
Aflatoxin B2	0.000813	0.00271		ND	Tested
Aflatoxin G1	0.000813	0.00271		ND	Tested
Aflatoxin G2	0.000813	0.00271		ND	Tested
Total Aflatoxins			0.0200	ND	Pass
Ochratoxin A	0.00325	0.0108	0.0200	ND	Pass

SOP.402; LC-MS/MS.

CHOME

6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com

Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 5 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units; Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage



**Pass** 

Elemental

Date Analyzed: 02/05/2025

### **Heavy Metals**

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	1.50	ND	Pass
Cadmium	0.000512	0.0241	0.500	ND	Pass
Lead	0.00609	0.0241	1.00	ND	Pass
Mercury	0.00276	0.00722	1.50	ND	Pass
Chromium	0.0259	0.0722		ND	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

### **Nutrients**

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		ND	Tested
Zinc	1.67	5.00		ND	Tested

SOP 502; ICPMS.

CHOME

6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 6 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage



**Pesticides** 

Date Analyzed: 02/03/2025

Mapmetrin	Analytes	LOD	LOO	Limit	Result	Status	Analytes	LOD	LOO	Limit	Result	Status
Abamectin   0.0102   0.0339   0.300   ND   Pass   Fludioxonil   0.0102   0.0339   3.00   ND   Pass   Acephate   0.0102   0.0339   3.00   ND   Pass   Acephate   0.0102   0.0339   2.00   ND   Pass   Acephate   0.0102   0.0339   2.00   ND   Pass   Acephate   0.0102   0.0339   3.00   ND   Pass   Acephate   0.0102   0.0339   3.00   ND   Pass   Imazalii   0.0102   0.0339   3.00   ND   Pass   Acetaniprid   0.0102   0.0339   3.00   ND   Pass   Imazalii   0.0102   0.0339   3.00   ND   Pass   Acetaniprid   0.0102   0.0	,											310103
Aceplate         0.0102         0.0339         3.00         ND         Pass Acequinocyl         Hexytalianzow         0.0102         0.0339         2.00         ND         Pass Imagalil         0.0102         0.0339         0.100         ND         Pass Acetamiprid           Acetamiprid         0.0102         0.0339         0.100         ND         Pass Imagalil         0.0102         0.0339         3.00         ND         Pass Imagalil         0.0102         0.0339         3.00         ND         Pass Aldicarb         ND         Pass Aldicarb         0.0102         0.0339         3.00         ND         Pass Malathion         0.0102         0.0339         0.00         ND         Pass Malathion         0.0102         0.0339         0.00         ND         Pass Malathion         0.0102         0.0339         0.10         ND         Pass Malathion         0.0102         0.0339         0.10         ND         Pass Methiorart         0.0102         0.0339         0.10         ND         Pass Methiormyl         0.0102         0.0339 <td>Abamectin</td> <td></td> <td></td> <td></td> <td></td> <td>Pass</td> <th>Fludioxonil</th> <td></td> <td></td> <td></td> <td></td> <td>Pass</td>	Abamectin					Pass	Fludioxonil					Pass
Acequinocyl         0.0102         0.0339         2.00         ND         Pass Imazalil         0.0102         0.0339         0.100         ND         Pass Imzalil         0.0102         0.0339         0.100         ND         Pass Imzalil         0.0102         0.0339         0.100         ND         Pass Radidicarb           Aldidarb         0.0102         0.0339         0.00         ND         Pass Kresoxim Methyl         0.0102         0.0339         1.00         ND         Pass Bifenazate           8 Bifenazate         0.0102         0.0339         3.00         ND         Pass Metalaxyl         0.0102         0.0339         3.00         ND         Pass Metalaxyl         0.0102         0.0339         0.100         ND         Pass Bifenazate         0.0102         0.0339         0.100         ND         Pass Methiocarb         0.0102         0.0339         0.100         ND         Pass Bifenazate         0.0102         0.0339         0.100         ND         Pass Methiocarb         0.0102         0.0339         0.	Acephate			3.00					0.0339			Pass
Acetamiprid         0.0102         0.0339         3.00         ND         Pass         Imidacloprid         0.0102         0.0339         3.00         ND         Pass           Aldicarb         0.0102         0.0339         3.00         ND         Pass         Mresoxim Methyl         0.0102         0.0339         1.00         ND         Pass           Bifenazate         0.0102         0.0339         3.00         ND         Pass         Metalaxyl         0.0102         0.0339         3.00         ND         Pass           Bifenthrin         0.0102         0.0339         0.500         ND         Pass         Methiocarb         0.0102         0.0339         0.100         ND         Pass           Captan         0.0813         0.271         3.00         ND         Pass         Methiocarb         0.0102         0.0339         0.100         ND         Pass           Carbaryl         0.0102         0.0339         0.500         ND         Pass         Methomylos         0.0102         0.0339         0.100         ND         Pass           Carbaryl         0.0102         0.0339         0.100         ND         Pass         Myclobutanil         0.0102         0.0339         0.00	•						•					Pass
Aldicarb         0.0102         0.0339         0.100         ND         Pass Azoxystrobin         Kresoxim Methyl         0.0102         0.0339         1.00         ND         Pass Azoxystrobin         0.0102         0.0339         3.00         ND         Pass Metalaxyl         0.0102         0.0339         3.00         ND         Pass Metalaxyl         0.0102         0.0339         3.00         ND         Pass Metalaxyl         0.0102         0.0339         0.100         ND         Pass Methor           Bifenthrin         0.0102         0.0339         0.50         ND         Pass Methor         0.0102         0.0339         0.100         ND         Pass Methor         0.0102         0.0339         0.00         ND         Pass Methor         0.0102         0.0339         0.00         ND         Pass Methor<	. ,											Pass
Azoxystrobin   0.0102   0.0339   3.00   ND   Pass   Malathion   0.0102   0.0339   2.00   ND   Pass   Bifenazate   0.0102   0.0339   3.00   ND   Pass   Metalaxyl   0.0102   0.0339   3.00   ND   Pass   Bifenathrin   0.0102   0.0339   0.500   ND   Pass   Methorarb   0.0102   0.0339   0.100   ND   Pass   Descalid   0.0102   0.0339   0.00   ND   Pass   Methorarb   0.0102   0.0339   0.100   ND   Pass   Descalid   0.0102   0.0339   0.00   ND   Pass   Descalid   0.0102   0.0339   0.100   ND   Pass   Descalid   0.0102   0.0339   0.0678   ND   Pass   Descalid   0.0102   0.0339   0.0678   ND   Pass   Descalid   0.0102   0.0339   0.00   ND   Pass   De	Aldicarb	0.0102	0.0339	0.100	ND	Pass		0.0102	0.0339	1.00	ND	Pass
Bifenazate         0.0102         0.0339         3.00         ND         Pass         Metalaxyl         0.0102         0.0339         3.00         ND         Pass           Bifenthrin         0.0102         0.0339         0.500         ND         Pass         Methiocarb         0.0102         0.0339         0.100         ND         Pass           Boscalid         0.0102         0.0339         3.00         ND         Pass         Methomyl         0.0102         0.0339         0.100         ND         Pass           Captar         0.0102         0.0339         0.500         ND         Pass         Mevinphos         0.0102         0.0339         0.100         ND         Pass           Carbofuran         0.0102         0.0339         0.500         ND         Pass         MGK-264         0.0203         0.0678         ND         Tester           Chlordane         0.0102         0.0339         0.100         ND         Pass         Naled         0.0102         0.0339         0.100         ND         Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass         Namyl         0.0102         0.0339         0.100         ND         Pass </td <td>Azoxystrobin</td> <td>0.0102</td> <td>0.0339</td> <td>3.00</td> <td>ND</td> <td>Pass</td> <th>•</th> <td>0.0102</td> <td>0.0339</td> <td>2.00</td> <td>ND</td> <td>Pass</td>	Azoxystrobin	0.0102	0.0339	3.00	ND	Pass	•	0.0102	0.0339	2.00	ND	Pass
Bifenthrin         0.0102         0.0339         0.500         ND         Pass         Methiocarb         0.0102         0.0339         0.100         ND         Pass           Boscalid         0.0102         0.0339         3.00         ND         Pass         Methomyl         0.0102         0.0339         0.100         ND         Pass           Carbaryl         0.0102         0.0339         0.500         ND         Pass         Mevinphos         0.0102         0.0339         0.100         ND         Pass           Carbaryl         0.0102         0.0339         0.100         ND         Pass         MGK-264         0.0203         0.0678         ND         Tested           Carbofuran         0.0102         0.0339         0.100         ND         Pass         Myclobutanil         0.0102         0.0339         0.500         ND         Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass         Naled         0.0102         0.0339         0.100         ND         Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND	Bifenazate	0.0102	0.0339	3.00	ND	Pass	Metalaxyl	0.0102	0.0339	3.00	ND	Pass
Captan         0.0813         0.271         3.00         ND         Pass         Mevinphos         0.0102         0.0339         0.100         ND         Pass           Carbaryl         0.0102         0.0339         0.500         ND         Pass         MGK-264         0.0203         0.0678         ND         Testec           Carbofuran         0.0102         0.0339         0.100         ND         Pass         Myclobutanil         0.0102         0.0339         3.00         ND         Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass         Par	Bifenthrin	0.0102	0.0339	0.500	ND	Pass		0.0102	0.0339	0.100	ND	Pass
Carbaryl         0.0102         0.0339         0.500         ND         Pass MgK-264         0.0203         0.0678         ND         Tested Carbofuran           Carbofuran         0.0102         0.0339         0.100         ND         Pass         Myclobutanil         0.0102         0.0339         3.00         ND         Pass           Chlorantraniliprole         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass           Chlorfenapyr         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.500         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormetezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678	Boscalid	0.0102	0.0339	3.00	ND	Pass	Methomyl	0.0102	0.0339	0.100	ND	Pass
Carbaryl         0.0102         0.0339         0.500         ND         Pass MgK-264         0.0203         0.0678         ND         Tested Carbofuran           Carbofuran         0.0102         0.0339         0.100         ND         Pass         Myclobutanil         0.0102         0.0339         3.00         ND         Pass           Chlorantraniliprole         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass           Chlorfenapyr         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormetezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678	Captan	0.0813	0.271	3.00	ND	Pass	Mevinphos	0.0102	0.0339	0.100	ND	Pass
Chlorantraniliprole         0.0102         0.0339         3.00         ND         Pass Pass         Naled         0.0102         0.0339         0.500         ND         Pass Pass           Chlordane         0.0102         0.0339         0.100         ND         Pass Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass Pass           Chlormequat chloride         0.0102         0.0339         3.00         ND         Pass Pass Parathion Methyl         0.0102         0.0339         0.100         ND         Pass Pass Pass Pass Pass Pass Pass Pass	Carbaryl	0.0102	0.0339	0.500	ND	Pass	MGK-264	0.0203	0.0678		ND	Tested
Chlordane         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass           Chlorfenapyr         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.100         ND         Pass         Parathion Methyl         0.0102         0.0339         0.100         ND         Pass           Chlorpyrifos         0.0102         0.0339         0.100         ND         Pass         Perathion Methyl         0.0102         0.0339         0.100         ND         Pass           Clofentezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678         1.00         ND         Pass           Cyfluthrin         0.0407         0.136         1.00         ND         Pass         Phosmet         0.0102         0.0339         0.200         ND         Pass           Cypermethrin         0.0203         0.0678         1.00         ND         Pass         Propiconazole         0.0102 <td< td=""><td>Carbofuran</td><td>0.0102</td><td>0.0339</td><td>0.100</td><td>ND</td><td>Pass</td><th>Myclobutanil</th><td>0.0102</td><td>0.0339</td><td>3.00</td><td>ND</td><td>Pass</td></td<>	Carbofuran	0.0102	0.0339	0.100	ND	Pass	Myclobutanil	0.0102	0.0339	3.00	ND	Pass
Chlordane         0.0102         0.0339         0.100         ND         Pass         Oxamyl         0.0102         0.0339         0.500         ND         Pass           Chlorfenapyr         0.0102         0.0339         0.100         ND         Pass         Paclobutrazol         0.0102         0.0339         0.100         ND         Pass           Chlormequat chloride         0.0102         0.0339         0.100         ND         Pass         Parathion Methyl         0.0102         0.0339         0.100         ND         Pass           Chlorpyrifos         0.0102         0.0339         0.100         ND         Pass         Peratachloronitrobenzene         0.0102         0.0339         0.200         ND         Pass           Clofentezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678         1.00         ND         Pass           Cyfluthrin         0.0407         0.136         1.00         ND         Pass         Piperonyl Butoxide         0.0102         0.0339         0.200         ND         Pass           Cypermethrin         0.0203         0.0678         1.00         ND         Pass         Propiconazole         0.01	Chlorantraniliprole	0.0102	0.0339	3.00	ND	Pass	Naled	0.0102	0.0339	0.500	ND	Pass
Chlorfenapyr         0.0102         0.0339         0.100         ND         Pass Paclobutrazol         0.0102         0.0339         0.100         ND         Pass Pass Parathion Methyl         0.0102         0.0339         0.100         ND         Pass Pass Parathion Methyl         0.0102         0.0339         0.100         ND         Pass Pass Pass Parathion Methyl         0.0102         0.0339         0.100         ND         Pass Pass Pass Pass Pass Pass Pass Pass	Chlordane	0.0102	0.0339	0.100	ND	Pass	Oxamyl	0.0102	0.0339	0.500	ND	Pass
Chlorpyrifos         0.0102         0.0339         0.100         ND         Pass         Pentachloronitrobenzene         0.0102         0.0339         0.200         ND         Pass           Clofentezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678         1.00         ND         Pass           Coumaphos         0.0102         0.0339         0.100         ND         Pass         Phosmet         0.0102         0.0339         0.200         ND         Pass           Cyfluthrin         0.0407         0.136         1.00         ND         Pass         Piperonyl Butoxide         0.0102         0.0339         0.00         ND         Pass           Cypermethrin         0.0203         0.0678         1.00         ND         Pass         Prallethrin         0.0407         0.0339         0.400         ND         Pass           Daminozide         0.0102         0.0339         0.100         ND         Pass         Propiconazole         0.0102         0.0339         1.00         ND         Pass           Diazinon         0.0102         0.0339         0.100         ND         Pass         Propiconazole         0.0102         0	Chlorfenapyr	0.0102	0.0339	0.100	ND	Pass	Paclobutrazol	0.0102	0.0339	0.100	ND	Pass
Clofentezine         0.0102         0.0339         0.500         ND         Pass         Permethrins         0.0203         0.0678         1.00         ND         Pass           Coumaphos         0.0102         0.0339         0.100         ND         Pass         Phosmet         0.0102         0.0339         0.200         ND         Pass           Cyfluthrin         0.0407         0.136         1.00         ND         Pass         Piperonyl Butoxide         0.0102         0.0339         3.00         ND         Pass           Cypermethrin         0.0203         0.0678         1.00         ND         Pass         Priperonyl Butoxide         0.0102         0.0339         0.400         ND         Pass           Oypermethrin         0.0203         0.0678         1.00         ND         Pass         Propiconazole         0.0102         0.0339         0.400         ND         Pass           Diazinon         0.0102         0.0339         0.200         ND         Pass         Propoxur         0.0102         0.0339         0.100         ND         Pass         Pyrethrins         0.0407         0.136         1.00         ND         Pass         Dimethoare         0.0102         0.0339         0.100 <td>Chlormequat chloride</td> <td>0.0102</td> <td>0.0339</td> <td>3.00</td> <td>ND</td> <td>Pass</td> <th>Parathion Methyl</th> <td>0.0102</td> <td>0.0339</td> <td>0.100</td> <td>ND</td> <td>Pass</td>	Chlormequat chloride	0.0102	0.0339	3.00	ND	Pass	Parathion Methyl	0.0102	0.0339	0.100	ND	Pass
Coumaphos         0.0102         0.0339         0.100         ND         Pass Phosmet         0.0102         0.0339         0.200         ND         Pass Cyfluthrin           Cyfluthrin         0.0407         0.136         1.00         ND         Pass Piperonyl Butoxide         0.0102         0.0339         3.00         ND         Pass Pass Piperonyl Butoxide         0.0102         0.0339         3.00         ND         Pass Pass Piperonyl Butoxide         0.0407         0.0339         0.400         ND         Pass Pass Piperonyl Butoxide         0.0102         0.0339         0.400         ND         Pass Piperonyl Butoxide         0.0102         0.0339         0.100         ND         Pass Piperonyl Butoxide         0.0102         0.0339         0.100         ND         Pass Piperonyl Butoxide         0.0102         0.0339         0.100         ND	Chlorpyrifos	0.0102	0.0339	0.100	ND	Pass	Pentachloronitrobenzene	0.0102	0.0339	0.200	ND	Pass
Cyfluthrin         0.0407         0.136         1.00         ND         Pass Piperonyl Butoxide         0.0102         0.0339         3.00         ND         Pass Pass Propries           Cypermethrin         0.0203         0.0678         1.00         ND         Pass Prallethrin         0.0407         0.0339         0.400         ND         Pass Pass Propries           Daminozide         0.0102         0.0339         0.100         ND         Pass Propiconazole         0.0102         0.0339         1.00         ND         Pass Propiconazole         0.0102         0.0339         1.00         ND         Pass Propiconazole         0.0102         0.0339         0.100         ND         Pass Pass Propiconazole	Clofentezine	0.0102	0.0339	0.500	ND	Pass	Permethrins	0.0203	0.0678	1.00	ND	Pass
Cypermethrin         0.0203         0.0678         1.00         ND         Pass Prallethrin         0.0407         0.0339         0.400         ND         Pass Daminozide           Diazinon         0.0102         0.0339         0.100         ND         Pass Propiconazole         0.0102         0.0339         1.00         ND         Pass Propiconazole           Diazinon         0.0102         0.0339         0.200         ND         Pass Propiconazole         0.0102         0.0339         0.100         ND         Pass Propicor         0.0407         0.0339         0.100         ND         Pass Propicor         0.0402         0.0339         0.00         ND         Pass Propicor         0.0102         <	Coumaphos	0.0102	0.0339	0.100	ND	Pass	Phosmet	0.0102	0.0339	0.200	ND	Pass
Daminozide         0.0102         0.0339         0.100         ND         Pass Propiconazole         0.0102         0.0339         1.00         ND         Pass Pass Propiconazole           Diazinon         0.0102         0.0339         0.200         ND         Pass Propoxur         0.0102         0.0339         0.100         ND         Pass Pyrethrins         0.0407         0.136         1.00         ND         Pass Pyrethrins         0.0407         0.0339         3.00         ND         Pass Pyrethrins         0.0407         0.0339         3.00         ND         Pass Pyrethrins         0.0402         0.0339         3.00         ND         Pass Pyrethr	Cyfluthrin	0.0407	0.136	1.00	ND	Pass	Piperonyl Butoxide	0.0102	0.0339	3.00	ND	Pass
Diazinon         0.0102         0.0339         0.200         ND         Pass Propoxur         0.0102         0.0339         0.100         ND         Pass Propoxur           Dichlorvos         0.0102         0.0339         0.100         ND         Pass Pyrethrins         0.0407         0.136         1.00         ND         Pass Dimethoate           Dimethoate         0.0102         0.0339         0.100         ND         Pass Pyridaben         0.0102         0.0339         3.00	Cypermethrin	0.0203	0.0678	1.00	ND	Pass	Prallethrin	0.0407	0.0339	0.400	ND	Pass
Dichlorvos         0.0102         0.0339         0.100         ND         Pass Pyrethrins         0.0407         0.136         1.00         ND         Pass Dimethoate           Dimethoate         0.0102         0.0339         0.100         ND         Pass Pyridaben         0.0102         0.0339         3.00         ND         Pass Pyridaben	Daminozide	0.0102	0.0339	0.100	ND	Pass	Propiconazole	0.0102	0.0339	1.00	ND	Pass
Dimethoate         0.0102         0.0339         0.100         ND         Pass Pyridaben         0.0102         0.0339         3.00         ND         Pass Pyridaben           Dimethomorph         0.0102         0.0339         3.00         ND         Pass Spinetoram         0.0102         0.0339         3.00         ND         Pass Ethoprophos           Ethoprophos         0.0102         0.0339         0.100         ND         Pass Spinosad         0.0102         0.0339         3.00         ND         Pass Etoacole           Etoxazole         0.0102         0.0339         1.50         ND         Pass Spirotetramat         0.0102         0.0339         3.00         ND         Pass Spiroxamine           Fenhexamid         0.0102         0.0339         3.00         ND         Pass Spiroxamine         0.0102         0.0339         0.100         ND         Pass Tebuconazole         0.0102         0.0339         1.00         ND         Pass Tebuconazole         0.0102         0.0339         0.100         ND         Pass Thiacloprid         0.0102         0.0339         0.100         ND         Pass Thiamethoxam         0.0102         0.0339         1.00         ND         Pass Thiamethoxam	Diazinon	0.0102	0.0339	0.200	ND	Pass	Propoxur	0.0102	0.0339	0.100	ND	Pass
Dimethomorph         0.0102         0.0339         3.00         ND         Pass Spinetoram         0.0102         0.0339         3.00         ND         Pass Ethoprophos           Ethoprophos         0.0102         0.0339         0.100         ND         Pass Spinosad         0.0102         0.0339         3.00         ND         Pass Etofenprox           Etofenprox         0.0102         0.0339         0.100         ND         Pass Spiromesifen         0.0102         0.0339         3.00         ND         Pass Etoxazole           Etoxazole         0.0102         0.0339         3.00         ND         Pass Spirotetramat         0.0102         0.0339         3.00         ND         Pass Epinoxamine           Fenhexamid         0.0102         0.0339         3.00         ND         Pass Epinoxamine         0.0102         0.0339         0.100         ND         Pass Energyroximate         0.0102         0.0339         1.00         ND         Pass Energyroximate         0.0102         0.0339         0.100         ND         Pass Energyroximate         0.0102         0.0339         0.100         ND         Pass Energyroximate         0.0102         0.0339         0.100         ND         Pass Energyroximate         0.0102         0.0339         0.10	Dichlorvos	0.0102	0.0339	0.100	ND	Pass	Pyrethrins	0.0407	0.136	1.00	ND	Pass
Ethoprophos         0.0102         0.0339         0.100         ND         Pass Spinosad         0.0102         0.0339         3.00         ND         Pass Etofenprox           Etofenprox         0.0102         0.0339         0.100         ND         Pass Spiromesifen         0.0102         0.0339         3.00         ND         Pass Etoxazole           Etoxazole         0.0102         0.0339         1.50         ND         Pass Spirotetramat         0.0102         0.0339         3.00         ND         Pass Fenexamid           Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Tebuconazole         0.0102         0.0339         1.00         ND         Pass Pass Thiacloprid           Fenorycoximate         0.0102         0.0339         0.100         ND         Pass Thiacloprid         0.0102         0.0339         0.100         ND         Pass Fipronil	Dimethoate	0.0102	0.0339	0.100	ND	Pass	Pyridaben	0.0102	0.0339	3.00	ND	Pass
Etofenprox         0.0102         0.0339         0.100         ND         Pass Pass Pass Pass Pass Pass Pass Pass	Dimethomorph	0.0102	0.0339	3.00	ND	Pass	Spinetoram	0.0102	0.0339	3.00	ND	Pass
Etoxazole         0.0102         0.0339         1.50         ND         Pass Spirotetramat         O.0102         0.0339         3.00         ND         Pass Fenhexamid           Fenhexamid         0.0102         0.0339         3.00         ND         Pass Spiroxamine         0.0102         0.0339         0.100         ND         Pass Fenoxycarb           Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Tebuconazole         0.0102         0.0339         1.00         ND         Pass Fenoxycarb           Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Thiacloprid         0.0102         0.0339         0.100         ND         Pass Thiamethoxam         0.0102         0.0339         1.00         ND         Pass Thiamethoxam	Ethoprophos	0.0102	0.0339	0.100	ND	Pass	Spinosad	0.0102	0.0339	3.00	ND	Pass
Fenhexamid         0.0102         0.0339         3.00         ND         Pass Spiroxamine         0.0102         0.0339         0.100         ND         Pass Fenoxycarb           Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Tebuconazole         0.0102         0.0339         1.00         ND         Pass Fenoxycarb           Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Thicoloprid         0.0102         0.0339         0.100         ND         Pass Thiamethoxam           Fipronil         0.0102         0.0339         0.100         ND         Pass Thiamethoxam         0.0102         0.0339         1.00         ND         Pass Thiamethoxam	Etofenprox	0.0102	0.0339	0.100	ND	Pass	Spiromesifen	0.0102	0.0339	3.00	ND	Pass
Fenoxycarb         0.0102         0.0339         0.100         ND         Pass Tebuconazole         0.0102         0.0339         1.00         ND         Pass Fenoyroximate           Fenoyroximate         0.0102         0.0339         0.100         ND         Pass Thiacloprid         0.0102         0.0339         0.100         ND         Pass Thiamethoxam           Fipronil         0.0102         0.0339         0.100         ND         Pass Thiamethoxam         0.0102         0.0339         1.00         ND         Pass Thiamethoxam	Etoxazole	0.0102	0.0339	1.50	ND	Pass	Spirotetramat	0.0102	0.0339	3.00	ND	Pass
Fenpyroximate         0.0102         0.0339         0.100         ND         Pass Thiacloprid         0.0102         0.0339         0.100         ND         Pass Thiamethoxam           Fipronil         0.0102         0.0339         0.100         ND         Pass Thiamethoxam         0.0102         0.0339         1.00         ND         Pass	Fenhexamid	0.0102	0.0339	3.00	ND	Pass	Spiroxamine	0.0102	0.0339	0.100	ND	Pass
Fipronil 0.0102 0.0339 0.100 ND Pass Thiamethoxam 0.0102 0.0339 1.00 ND Pass	Fenoxycarb	0.0102	0.0339	0.100	ND	Pass	Tebuconazole	0.0102	0.0339	1.00	ND	Pass
	Fenpyroximate	0.0102	0.0339	0.100	ND	Pass	Thiacloprid	0.0102	0.0339	0.100	ND	Pass
Flonicamid 0.0102 0.0339 2.00 ND Pass Trifloxystrobin 0.0102 0.0339 3.00 ND Pass	Fipronil	0.0102	0.0339	0.100	ND	Pass	Thiamethoxam	0.0102	0.0339	1.00	ND	Pass
	Flonicamid	0.0102	0.0339	2.00	ND	Pass	Trifloxystrobin	0.0102	0.0339	3.00	ND	Pass

SOP.402; LC-MS/MS & SOP.302; GC-MS

CHOME NALY

6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 7 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;

#### **BREZ Double**

Ingestible, Beverage



**Pass** 

**Residual Solvents** 

Date Analyzed: 02/03/2025

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
1,1- Dichloroethene	0.0361	0.108	8.00	ND	Pass
1,2-Dichloroethane	0.144	0.433	5.00	ND	Pass
Acetone	14.4	43.3	5000	ND	Pass
Acetonitrile	14.4	43.3	410	ND	Pass
Benzene	0.0361	0.108	2.00	ND	Pass
Butane	14.4	43.3	2000	ND	Pass
Chloroform	0.0361	0.108	60.0	ND	Pass
Ethanol	14.4	43.3	5000	3890	Pass
Ethyl acetate	14.4	43.3	5000	ND	Pass
Ethyl ether	14.4	43.3	5000	ND	Pass
Ethylene oxide	0.144	0.433	5.00	ND	Pass
Heptane	14.4	43.3	5000	ND	Pass
n-Hexane	7.22	21.7	290	ND	Pass
Isopropyl alcohol	14.4	43.3	5000	ND	Pass
Methanol	14.4	43.3	3000	ND	Pass
Methylene chloride	0.0722	0.217	600	ND	Pass
Pentane	3.61	10.8	5000	ND	Pass
Propane	7.22	21.7	5000	ND	Pass
Toluene	7.22	21.7	890	ND	Pass
Trichloroethylene	0.0361	0.108	80.0	ND	Pass
Xylenes	7.22	21.7	2170	ND	Pass

SOP.204; HS-GC-MS.

CHOME

6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866





Powered by Confident LIMS 8 of 8

Drink BRĒZ

West Palm Beach, FL 33401

Sample: 250130TRI003.008

Sample Description: BBOG12011; Sample Size: 4 units;

Batch/Lot#: BBOG12011;

Sample Received: 01/30/2025; Report Created: 02/06/2025;

Sampled By: Client;


#### **BREZ Double**

Ingestible, Beverage



Synthetic cannabinoids presence/absence test

Lab ID: 250130TRI003.008 Sample ID: BBOG12011 Analysis Date: 2/5/2025



Peak	Report TI	С
Peak#	R.Time	Area%
1	1.517	2.04
2	1.632	15.55
3	2.205	0.65
4	2.818	0.60
5	3.437	2.21
6	3.611	0.87
7	3.912	3.11
8	4.126	13.93
9	4.260	1.70
10	4.521	2.32
11	4.837	57.02

Method:

The results produced by this method are for R&D purposes only and outside the scope of Trichome Analytical's ISO 17025 accreditation.

Instrument: GCMS TQ8040NX Ion source: EI Scan: Q3 40-500 m/z Event time: 0.1 sec lon source temp: 200 C Interface temp: 250 C Liner temp: 250 C

Oven temp: 230 - 320 C ramp Column: Rxi-5ms 30 m Identification: NIST spectrum search Analyst Notes

None Detected: Delta-8-tetrahydrocannabinol (D8-THC) None Detected: Delta-9(11) exo-tetrahydrocannabinol (Exo-THC)

None Detected: Delta-10-tetrahydrocannabinol (D10-THC) None Detected: THC-O acetate (THC-OA) None Detected: THC-O-phosphate (THC-O) None Detected: Hexahydrocannabinol (HHC)

Peak 1,2: Sugars
Peak 5: CBC
Peak 7: CBD
Peak 9: delta9 THC

Peak 11: background from labware



6000 Commerce Parkway Suite I Mount Laurel, NJ

(856) 316-0600 http://www.trichomeanalytical.com

state and/or federal guidelines. This certificate may only be reproduced in full.

Kristen Goedde Lab Manager



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

